

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

## USE RESTRICTIONS:

For control of Norway rats, roof rats and house mice.

**URBAN AREAS:** May be used in and around the periphery of homes, industrial, commercial and public buildings. HAWK RODENTICIDE Place Pacs may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. May also be used in alleys. Do not use in sewers.

**NON-URBAN AREAS:** May be used inside of homes and agricultural buildings.

Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

# HAWK®

## RODENTICIDE

### Ready-To-Use Place Pac

### KILLS RATS AND MICE

#### *Kills Warfarin Resistant Norway Rats*

Norway rats and house mice may consume a lethal dose in one feeding with first dead rodents appearing four or five days after treatment begins.

ACTIVE INGREDIENT: Bromadiolone	
3-[3-(4-Bromo-[1,1'-biphenyl]-4-yl)-3-hydroxy-1-phenylpropyl]-4-hydroxy-2H-1-benzopyran-2-one:	... 0.005%
INERT INGREDIENTS*	..... 99.995%
	TOTAL 100.000%

\*Contains Denatonium Benzoate

## KEEP OUT OF REACH OF CHILDREN CAUTION

(See right side panel for additional precautionary statements.)

For 24-hour emergency medical advice, call 1-877-854-2494

Net Contents: 100 X 1.5 oz.

Manufactured for:

**Motomco Ltd.**

Clearwater, FL 33755 U.S.A.

EPA EST. NO. 12455-WI-1

EPA REG. NO.12455-76-3240

## APPLICATION DIRECTIONS:

**RATS:** Apply 2 to 10 Place Pacs per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**HOUSE MICE:** Place 1 Place Pac at 8 to 12 foot intervals. Maintain an uninterrupted supply of fresh bait for at least 15 days.

**RATS AND MICE:** Replace contaminated or spoiled bait immediately. Collect and dispose of all dead exposed animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Keep away from humans, domestic animals, and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. If swallowed, call a physician at once.

**NOTE TO PHYSICIAN:** If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

## STORAGE AND DISPOSAL

**STORAGE:** Store only in original container, in a dry area inaccessible to children and pets.

**DISPOSAL:** Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

(041802)