

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Keep out of reach of children and pets. Wear gloves when applying bait. With detergent and hot water, wash all implements used for applying bait. Do not use these implements for mixing, holding or transferring food or feeds. Treated baits should be placed in locations not accessible to nontarget wildlife and domestic animals, or in tamper-resistant bait boxes. If swallowed by human beings, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of Vitamin K₁ combined with blood transfusions is indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin (Dicumarol).

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and fish. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Treated bait exposed on soil surface is hazardous to birds and other wildlife. Keep out of lakes, ponds, and streams.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

FOR DISTRIBUTION AND USE ONLY IN CALIFORNIA

It is a violation of State and Federal laws to use this product in a manner inconsistent with its labeling. (See Baiting Procedures.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals. **PESTICIDE DISPOSAL:** Dispose of wastes resulting from the use of this product in trash or at an approved waste disposal facility. **CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. [Plastic:] Triple rinse (or equivalent) then

6414-7



**PELLETED
RODENT BAIT**

GROUND SQUIRREL BAIT

ACTIVE INGREDIENT:	
Diphacinone (#82-66-6):	0.01%
INERT INGREDIENTS:	99.99%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID TREATMENT
IF SWALLOWED: Call a physician or Poison Control Center; drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

For 24-hour emergency medical advice, call
1-877-854-2494

EPA SLN. NO. CA 780146 EPA EST. NO. 12455-WI-1
CALIF. REG. NO. 12455-50003-AA

Net Weight: XXXX

Manufactured by:
 **Bell**
LABORATORIES, INC.
3699 Kinsman Blvd.
Madison, WI 53704
www.belllabs.com
www.motomco.com

offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. [Paper:] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

IMPORTANT

A single feeding of this anticoagulant bait will not control rodents. Bait must be eaten at several feedings on five or more successive days with no periods longer than 48 hours between feedings.

Keep this product in a closed container, free from odors which may contaminate the bait and reduce acceptability.

BAITING PROCEDURES

NOTE: Do not use in a manner that will contaminate feed or foodstuff.

GROUND SQUIRRELS, *Spermophilus beecheyi*, *S. belding* - Scatter by hand approximately 2 oz. of bait (one handful) evenly over 40 to 50 square feet near active burrows or runways. Retreat every other day for 3 to 4 applications.

An uninterrupted supply of bait should be available for 6 to 8 days. Don't pile bait. The scattering of bait takes advantage of the squirrels' natural foraging habits and limits domestic livestock and wildlife from picking it up.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

052411/03-11mod

