

RESTRICTED USE PESTICIDE

Due to Hazards to Non-target Species

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

ZP AG OATS

EPA Reg. No. 12455-102-3240

SLN No. WY-18-0002

Active Ingredient: Zinc Phosphide.....2%

Other Ingredients.....98%

Total.....100%

KEEP OUT OF REACH OF CHILDREN

CAUTION

SECTION 24(c) SPECIAL LOCAL NEED SUPPLEMENTAL LABEL

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF WYOMING

For Control of Prairie Dogs on Rangeland and Adjacent Timber

Only for Uses and Application Methods on this Supplemental Label

This label is valid until April 30th, 2022 or until otherwise amended, withdrawn, cancelled, or suspended

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA registered label (EPA Reg. No. 12455-17).

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Use Restrictions: This product may only be used to control black-tailed prairie dogs (*Cynomys ludovicianus*), white-tailed prairie dogs (*C. leucurus*), in rangelands, adjacent non-crop areas, and adjacent timber areas in Wyoming only. This product may be used to control prairie dogs from March 1 through December 31.

Before baiting for prairie dogs, contact the U.S. Fish and Wildlife Service office in Cheyenne, WY, at 307-772-2374 to determine whether a black-footed ferret survey is required.

Apply toxic bait no more than once per season. Apply toxic bait only at times of year when target species are accepting grain readily.

Do not apply this product to croplands. Do not apply this product on roads, near residential or public use areas, or over water. Do not apply this product at any location where endangered species occur or where consumption of prebait by nontarget wildlife is observed/

PREBAITING: Prebait with 4 grams (one teaspoon) of untreated steam crimped oats per mound, one or two days prior to baiting, to increase acceptance of treated baits by prairie dogs and ground squirrels.

BAITING: Apply bait only after all or most of prebait is eaten and only to areas where untreated bait was consumed. Establish observation period during prebaiting. Apply bait by hand as a six-inch bait spot on edge of each mound, burrow opening, or in adjacent feeding areas. Application rate should not exceed 4 grams (one teaspoon) per bait spot. Dispose of spilled or unwanted bait by burial.

Rev. 3/28/2018

Available Exclusively From:

MOTOMCO

The World Leader In Rodent Control Technology

3699 Kinsman Blvd.

Madison, WI 53704